



FIFTH WHEELS

SPLENDOR: UNCHARTED







SF327G



SF350H



FLOORPLANS FIFTH WHEELS

SF383H

EATURES

STANDARDS

- » 100" Wide Body Frame
- » Wardrobe & Linen Closet
- » Entrance to Main Bathroom from Bedroom
- » Secondary Bathroom (1/2 Bath)
- » 6'4" X 26" Entrance & Screen Door
- » 84" Slide-Out Ceiling Height
- » Insulated Garage Floor
- » Dexter Axles w/ Wet Bolts
- » Stainless Steel Appliances
- » 15K A/C Quiet Residential Return
- » 18 Cu. Ft. Refrigerator
- » Washer/Dryer Prep
- » Generator Prep
- » Large Walk In Pantry
- » Sliding King Bed
- » Loft with 38" x 74" Mattress
- » 21" Oven with Flush Glass Stove Top
- » Power Awning with LED Light & FLX Guard

- » 6 Point Auto Leveling with JT Strong Arm Stabilizers (FW)
- » Heat & Massage In End Recliner Sectional
- » 30 Gallon Fuel Tank with Fuel Dispenser
- » Patent Flush Floor Slides with Vinyl Flooring (No Carpet)
- » PVC Roof Material (15 year Warranty Non-Prorated)
- » Aluminum Entry Steps
- » Night Roller Shades
- » Pet Friendly
- » Wi-Fi Ready
- » Roof Mounted Solar Prep

- **OPTIONS**
- » A/C 2nd A/C, 13.5k BTU Ducted (Master Bedroom)
- » A/C Garage A/C, 13.5k BTU Non-Ducted
- » Dual Pane Windows
- » Generator Gas Onan 5.5 KW
- » Happi-Jack Bed Lift with Pass-Through Dinette
- » Patio Ramp with Railings and Manual Awning

	SF327G	SF350H	SF383H
Square Feet	327	385	405
UVW	11250	12500	12425
Hitch Weight	2534	2905	2905
GVWR	16850	16905	18000
Cargo (Gross)	5600	4405	5525
Length (Pin to Rear)	39'11"	39' 4"	42' 2"
Ext. Height	157″	157"	157"
Ext. Width	100″	100"	100"
Ext. Width (Slides Out)	138″	165″	165"
Interior Height (Upper Deck)	98"	98"	98"
Interior Height (Overall)	76"	76″	76"
Fresh Water (Gal.)	110	110	110
Gray Water (Gal.)	114	114	114
Waste Water (Gal.)	41	82	82
LP Capacity (lbs.)	60	60	60
Tire Size	16″	16"	16"
Awning Size	12′,18′	12', 14'	12', 14'
Garage	13' 1"	12' 6"	15'

SPECIFICATIONS

1 SLIDE OUTS

- » Best in class slide height and depth
- » Flush floor slide with linoleum
- » Accu-Slide cable system with four points of compression
- » Laminate components plus 3M flashing tape along corners to prevent leaks

4 FLOORS

- » Double-welded framed floors
- » Insulated with rigid foam wrapped in radiant foil, antipuncture moisture barrier woven underbelly material, and strengthened with an overlapping double layer of laminate
- » Insulated garage door

2 DOORS & LOCKS

- » Oversize entrance door with large window, built-in screen doors, and integrated window shades
- » Double-insulated passage and storage doors with slam latches on secure and convenient keyalike system

5 SIDEWALLS

- » Lightweight, double-welded aluminum walls
- » Slide roof frames laminated with rigid foam insulation

³ ROOF

- » Double batten insulation layered with radiant foil
- » Screw-mounted plywood decking topped with premium quality PVC
- » No treatment required! Will not chalk or spot
- » Heat reflecting properties keep coach cooler in the summer

6 MAIN BODY

- » Built with 12" steel I-beams
- » 6,000lb. and 7,000lb. axles
- » Aluminum wheels with nitrogen-filled tires



Oversize 4-inch heat ducts run from the furnace down to the fully enclosed underbelly and wrap around the tanks suspended between the chassis I-beams. Holding tanks are warmed by the forced air heat which prevents freeze-ups.

A return at the end of the tank connecting back into the coach provides the necessary air flow.



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

Your Ultra Lite Dealer:

MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize the RV industry and it's why our products are 10 - 15% lighter than the competition.



Our Pet Friendly units offer linoleum throughout the main living areas, and no floor registers.



We put our products into a zero degree chamber for five hours with thermometers placed in key areas throughout the unit. The results speak for themselves.



Own the Outdoors

For more information visit us at: www.HighlandRidgeRV.com

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in the literature. Some items shown are not included as standard or optional equipment.